WHOLESALERS OF LIFTING, RIGGING, LOAD RESTRAINT & HEIGHT SAFETY PRODUCTS

USER MANUAL SUSPENSION TRAUMA STRAP

PC. 915075



This equipment is intended for use by people who have received proper training and are competent.

1300 100 120

www.austlift.com.au AUSTRALIAN LIFTING CENTRE PTY LTD WARNING! Do not skip this instruction manual. Read the instruction manual carefully before using the equipment. Failure to do so may result in serious Injury or Death.

NOTE: The user is advised to keep the user manual for the life of the product.

INTRODUCTION

- Avoid the effects of suspension trauma with the use of Austlift suspension trauma straps.
- Extremely effective, specially designed to help relieve the negative effects of suspension trauma.
- Allows the suspended worker to stand up in his harness to relieve pressure.
- Easy to attach to the harness with the help of the textile loop and velcro provided.
- Easy deployment, operation is fool-proof.






HOW TO RETROFIT THE SUSPENSION TRAUMA STRAP:



The case strap is to be slipped through the harness loops containing the leg strap.



Now the case is to be passed through the case strap to choke it down on the harness loop.



To hold the case in place, the tabs are to be wrapped around one harness trap & connect the snaps.

INSPECTION

Regular Inspection is recommended prior to using this Suspension Trauma Strap with harness. It can be used on numerous occasions if it has been inspected prior to use and shows no sign of damage.

CAPACITY/USER WEIGHT

SWL or Max user weight: 140kg.

DISPOSAL

When the suspension trauma strap becomes unfit or in case of any wear and tear, dispose it immediately.

Follow the steps for Disposal:

- Segregate the equipment in three different crates for placing components in them respectively as- Textile, Metal and Plastic.
- Hold the suspension TRAUMA strap from Dorsal D-ring.
- · Inspect the wear & tear present on the suspension trauma strap.
- Now, using a sharp pair of scissors first cut the Textile and dismantle the suspension trauma strap.
- Now remove the metal & plastic components separately from the suspension trauma strap.
- Put the Textile, Plastic & Metal components in their respective plastic crates.

LIFESPAN

The estimated product Lifespan is 10 years from the date of manufacture. The following factors can reduce the Lifespan of the product: intense use, contact with chemical substances, specially aggressive environments, extreme temperature exposure, UV exposure, abrasions, cuts, violent impacts, bad use or maintenance.

DISCLAIMER

Prior to use, the end user must read and understand the manufacturer's instructions supplied with this product at the time of shipment and seek training from their employer's trained personnel on the proper usage of the product. Manufacturer is not liable or responsible for any loss, damage or injury caused or incurred by any person on grounds of improper usage or installation of this product.



EQUIPMENT RECORD								
Product:								
Model & type/identification		Trade name		Identification number				
Manufacturer		Address		Tel, fax, email into use				
Year of manufacture		Purchase date		Date first put into use				
Other relevant information (e.g. Document number)								
PERIODIC EXAMINATION AND REPAIR HISTORY								
Date	Reason for entry (periodic examination or repair)	Defects noted, repairs carried out and other relevant information	Name and signature of		Periodic examination next due date			
		6						
		ALK.		IF.				
C								
C	2							

П



PERIODIC EXAMINATION AND REPAIR HISTORY								
Date	Reason for entry (periodic examination or repair)	Defects noted, repairs carried out and other relevant information	Name and signature of competent user	Periodic examination next due date				
				.X				
			X					
			K.S					
	0	AUS	ΓLIF	Г				
\mathbf{O}								





AUSTRALIAN LIFTING CENTRE

1300 100 120

www.austlift.com.au

QLD Office 7 Durbell Street Acacia Ridge, QLD 4110 8 Ph : 07 3272 0777

WA Office
 42 Mulgul Road
 Malaga, WA 6090
 Ph : 08 9248 6674

Head Office (NSW) 43 Frank Street

3

Wetherill Park, NSW 2164 Ph : 02 9757 2277

- PI1.02 9737 22
 - VIC Office
- 475A Dohertys Road
 Truganina, VIC 3029
 Ph : 03 9314 5525

Copyright Australian Lifting Centre Pty Ltd Specifications and dimensions subject to change without notice.